

### **IN THE CLAIMS**

**Please amend the claims as follows:**

Claim 1 (Currently Amended): A content receiving apparatus, comprising:  
a receiver configured to receive first contents from a broadcasting station and to receive an input recording request;  
a temporary memory unit configured to temporarily store first contents-related information related to the first contents;  
a memory configured to store the first contents and to store, based on receipt of the ~~[[an]]~~ input recording request, the first contents-related information; and  
the memory being configured to store a plurality of second contents and a plurality of second contents-related information received from a server, the second contents-related information being related to the first contents, ~~and displayable~~.

Claim 2 (Previously Presented): The apparatus according to claim 1, further comprising:  
a broadcast information recording unit configured to record the first contents, in the memory, at specific time intervals in a ring shaped buffer, and to record the first contents before and after the input recording request .

Claim 3 (Previously Presented): The apparatus according to claim 2, wherein the specific time intervals can be modified to include different buffer sizes.

Claim 4 (Previously Presented): The apparatus according to claim 1, further comprising:

a sound information synthesizing unit configured to synthesize sound information with the first contents being received at a time when the recording request is input, wherein the first contents are correlated with the contents-related information received from the server, and

a broadcast information recording unit is configured to record the correlated first contents and the contents-related information in the memory.

Claim 5 (Currently Amended): A content receiving method, comprising:

receiving first contents from a broadcasting station;

temporarily storing first contents-related information related to the first contents;

receiving an input recording request;

storing the first contents and storing, based on receipt of the [[an]] input recording request, the first contents-related information;

storing a plurality of second contents and a plurality of second contents-related information received from a server, the second contents-related information being related to the first contents,~~and~~

~~displaying the second contents-related information.~~

Claim 6 (Previously Presented): The method according to claim 5, further comprising:

recording the first contents, in the memory, at specific time intervals in a ring shaped buffer; and

recording the first contents before and after the input recording request.

Claim 7 (Previously Presented): The method according to claim 6, further comprising:

modifying the specific time intervals to include different buffer sizes.

Claim 8 (Previously Presented): The method according to claim 5, further comprising:

synthesizing sound information with the first contents being received at a time when the recording request is input;

correlating the first contents with the contents-related information received from the server;

recording the correlated first contents and the contents-related information; and

storing the recorded information in the memory.

Claim 9 (Previously Presented): The method according to claim 5, further comprising:

communicating, using a terminal apparatus, with an authentication server having an authentication function and a related information providing server providing the first and second contents-related information, and receiving the first contents;

transmitting request information requesting first and second contents-related information relating to the first contents to the related information providing server along with a service session ID that is a session ID between the terminal apparatus and the related information providing server;

receiving from the related information providing server, information indicating an authentication error and service identifying information for identifying the related information providing server;

transmitting authentication ticket issuance request information requesting issuance of an authentication ticket for accessing the related information providing server to the authentication server along with an authentication session ID that is a session ID between the terminal apparatus and the authentication server;

receiving the authentication ticket issued from the authentication server if authenticated by the authentication server and transmitting authentication request information to the related information providing server along with the authentication ticket;

receiving the service session ID that is a session ID between the terminal apparatus and the related information providing server if authenticated by the related information providing server;

transmitting the request information requesting the related information to the related information providing server along with the received service session ID; and

receiving related information that corresponds to the request information if authenticated by the related information providing server.

Claim 10 (Previously Presented): The method according to claim 9, further comprising:

the terminal apparatus

receiving information indicating the authentication error if the authentication by the authentication server is an error and transmitting a user ID and password to the authentication server;

receiving the authentication session ID that is a session ID between the terminal apparatus and the authentication server if the user ID and the password are authenticated by the authentication server; and

transmitting the authentication ticket request information to the authentication server along with the authentication session ID.

Claim 11 (Currently Amended): A computer-readable storage medium having embedded therein instructions, which when executed by a processor, cause the processor to perform a method comprising:

receiving first contents from a broadcasting station;

temporarily storing first contents-related information related to the first contents;

receiving an input recording request;

storing the first contents and storing, based on receipt of the [[an]] input recording request, the first contents-related information;

storing a plurality of second contents and a plurality of second contents-related information received from a server, the second contents-related information being related to the first contents,~~and~~

~~displaying the second contents-related information.~~

Claim 12 (Previously Presented): The apparatus according to Claim 1, wherein the memory is configured to store a plurality of the first contents in response to a single user operation, the first contents being included in one broadcast program.

Claim 13 (Previously Presented): The method according to Claim 5, further comprising:

storing a plurality of the first contents in response to a single user operation, the first contents being included in one broadcast program.

Claim 14 (Previously Presented): The apparatus according to Claim 11, further comprising:

storing a plurality of the first contents in response to a single user operation, the first contents being included in one broadcast program.